

2018년 스키지도요원(티칭2) 자격시험

SBAK (사)한국스키장경영협회
SKI RESORT BUSINESS ASSOCIATION OF KOREA

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180001	61	238	240	240	237	955	79.6	불합격
BibT220180002	76	237	236	239	234	946	78.8	불합격
BibT220180003	72	240	243	244	240	967	80.6	합격
BibT220180004	88	240	237	240	239	956	79.7	불합격
BibT220180005	61	237	236	241	241	955	79.6	불합격
BibT220180006	61	237	241	0	237	715	59.6	불합격
BibT220180007	80	238	237	241	236	952	79.3	불합격
BibT220180008	84	236	236	237	236	945	78.8	불합격
BibT220180009	61	236	239	237	234	946	78.8	불합격
BibT220180010	61	240	239	240	237	956	79.7	불합격
BibT220180011	84	237	231	240	239	947	78.9	불합격
BibT220180012	64	234	236	237	234	941	78.4	불합격
BibT220180013	61	235	237	241	240	953	79.4	불합격
BibT220180014	61	236	240	243	238	957	79.8	불합격
BibT220180015	48	234	240	240	239	953	79.4	불합격
BibT220180016	72	239	242	244	240	965	80.4	합격
BibT220180017	60	237	239	243	237	956	79.7	불합격
BibT220180018	72	238	240	241	237	956	79.7	불합격
BibT220180019	84	239	241	239	237	956	79.7	불합격
BibT220180020	60	241	240	242	238	961	80.1	합격
BibT220180021	61	237	240	238	240	955	79.6	불합격
BibT220180022	68	241	237	243	246	967	80.6	합격
BibT220180023	72	237	239	240	235	951	79.3	불합격
BibT220180024	64	240	238	240	240	958	79.8	불합격
BibT220180025	88	239	238	243	243	963	80.3	합격
BibT220180026	61	238	240	244	239	961	80.1	합격
BibT220180027	76	238	236	237	236	947	78.9	불합격
BibT220180028	80	235	239	237	236	947	78.9	불합격
BibT220180029	68	237	236	239	241	953	79.4	불합격
BibT220180030	61	237	235	0	240	712	59.3	불합격
BibT220180031	61	240	240	240	240	960	80.0	합격
BibT220180032	80	234	237	240	237	948	79.0	불합격
BibT220180033	61	237	239	240	238	954	79.5	불합격
BibT220180034	60	234	236	242	237	949	79.1	불합격
BibT220180035	61	236	237	240	237	950	79.2	불합격
BibT220180036	72	237	237	237	236	947	78.9	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180037	61	237	236	238	236	947	78.9	불합격
BibT220180038	92	239	239	240	239	957	79.8	불합격
BibT220180039	61	239	239	237	235	950	79.2	불합격
BibT220180040	61	237	238	241	236	952	79.3	불합격
BibT220180041	68	237	240	225	240	942	78.5	불합격
BibT220180042	84	236	238	240	237	951	79.3	불합격
BibT220180043	72	237	238	232	234	941	78.4	불합격
BibT220180044	76	237	240	234	239	950	79.2	불합격
BibT220180045	84	236	236	240	237	949	79.1	불합격
BibT220180046	72	237	236	236	237	946	78.8	불합격
BibT220180047	61	237	237	237	234	945	78.8	불합격
BibT220180048	44	234	239	239	237	949	79.1	불합격
BibT220180049	92	235	240	237	237	949	79.1	불합격
BibT220180050	76	238	238	240	237	953	79.4	불합격
BibT220180051	84	237	243	243	244	967	80.6	합격
BibT220180052	88	238	237	242	238	955	79.6	불합격
BibT220180053	88	242	238	243	240	963	80.3	합격
BibT220180054	84	240	236	240	234	950	79.2	불합격
BibT220180055	61	237	240	240	242	959	79.9	불합격
BibT220180056	76	237	242	237	239	955	79.6	불합격
BibT220180057	61	241	240	238	238	957	79.8	불합격
BibT220180058	64	237	236	239	234	946	78.8	불합격
BibT220180059	84	237	237	240	234	948	79.0	불합격
BibT220180060	61	240	237	242	243	962	80.2	합격
BibT220180061	72	238	237	239	235	949	79.1	불합격
BibT220180062	88	300	300	300	300	1200	100.0	합격
BibT220180063	86	237	238	235	236	946	78.8	불합격
BibT220180064	88	300	300	300	300	1200	100.0	합격
BibT220180065	80	237	225	240	237	939	78.3	불합격
BibT220180066	61	300	300	300	300	1200	100.0	합격
BibT220180067	84	238	236	233	234	941	78.4	불합격
BibT220180068	92	237	239	234	235	945	78.8	불합격
BibT220180069	61	235	237	237	237	946	78.8	불합격
BibT220180070	88	237	237	242	239	955	79.6	불합격
BibT220180071	84	234	239	240	235	948	79.0	불합격
BibT220180072	92	237	239	240	237	953	79.4	불합격
BibT220180073	88	240	237	235	240	952	79.3	불합격
BibT220180074	61	239	238	238	237	952	79.3	불합격
BibT220180075	76	236	237	234	236	943	78.6	불합격
BibT220180076	72	236	237	235	234	942	78.5	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180117	80	240	240	239	237	956	79.7	불합격
BibT220180118	72	237	240	237	237	951	79.3	불합격
BibT220180119	61	237	237	243	241	958	79.8	불합격
BibT220180120	64	235	245	241	241	962	80.2	합격
BibT220180121	100	238	240	244	240	962	80.2	합격
BibT220180122	88	241	242	241	243	967	80.6	합격
BibT220180123	84	237	238	238	226	939	78.3	불합격
BibT220180124	72	237	243	238	240	958	79.8	불합격
BibT220180125	76	237	240	241	242	960	80.0	합격
BibT220180126	64	240	241	241	240	962	80.2	합격
BibT220180127	61	237	237	237	237	948	79.0	불합격
BibT220180128	68	237	237	240	236	950	79.2	불합격
BibT220180129	68	238	240	240	237	955	79.6	불합격
BibT220180130	68	237	239	239	237	952	79.3	불합격
BibT220180131	61	237	240	240	238	955	79.6	불합격
BibT220180132	61	239	240	241	237	957	79.8	불합격
BibT220180133	61	238	237	236	235	946	78.8	불합격
BibT220180134	61	238	240	242	240	960	80.0	합격
BibT220180135	61	238	240	243	240	961	80.1	합격
BibT220180136	60	238	240	243	240	961	80.1	합격
BibT220180137	68	237	243	245	242	967	80.6	합격
BibT220180138	72	237	240	244	239	960	80.0	합격
BibT220180139	84	237	241	243	239	960	80.0	합격
BibT220180140	92	237	240	241	240	958	79.8	불합격
BibT220180141	48	237	237	235	237	946	78.8	불합격
BibT220180142	61	239	239	244	238	960	80.0	합격
BibT220180143	92	240	240	235	239	954	79.5	불합격
BibT220180144	96	239	240	245	239	963	80.3	합격
BibT220180145	84	237	237	240	237	951	79.3	불합격
BibT220180146	92	238	240	240	237	955	79.6	불합격
BibT220180147	80	239	234	235	234	942	78.5	불합격
BibT220180148	92	237	236	237	237	947	78.9	불합격
BibT220180149	88	237	239	244	241	961	80.1	합격
BibT220180150	80	238	239	243	243	963	80.3	합격
BibT220180151	80	236	237	237	240	950	79.2	불합격
BibT220180152	88	237	237	237	237	948	79.0	불합격
BibT220180153	32	235	235	0	0	470	39.2	불합격
BibT220180154	61	237	240	237	240	954	79.5	불합격
BibT220180155	48	240	241	240	240	961	80.1	불합격
BibT220180156	52	237	240	237	238	952	79.3	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180157	72	239	238	243	241	961	80.1	합격
BibT220180158	68	234	240	240	237	951	79.3	불합격
BibT220180159	84	239	237	241	239	956	79.7	불합격
BibT220180160	0	0	0	0	0	0	0.0	불합격
BibT220180161	0	0	0	0	0	0	0.0	불합격
BibT220180162	61	237	237	236	236	946	78.8	불합격
BibT220180163	84	234	240	237	237	948	79.0	불합격
BibT220180164	88	300	300	300	300	1200	100.0	합격
BibT220180165	61	239	237	0	236	712	59.3	불합격
BibT220180166	92	237	237	240	234	948	79.0	불합격
BibT220180167	61	236	240	243	240	959	79.9	불합격
BibT220180168	61	240	240	246	247	973	81.1	합격
BibT220180169	61	239	244	243	240	966	80.5	합격
BibT220180170	84	237	241	241	238	957	79.8	불합격
BibT220180171	61	235	238	242	237	952	79.3	불합격
BibT220180172	80	237	237	240	238	952	79.3	불합격
BibT220180173	76	237	239	239	235	950	79.2	불합격
BibT220180174	61	237	244	239	239	959	79.9	불합격
BibT220180175	61	238	240	240	238	956	79.7	불합격
BibT220180176	96	239	243	241	241	964	80.3	합격
BibT220180177	92	236	237	235	234	942	78.5	불합격
BibT220180178	84	237	237	240	236	950	79.2	불합격
BibT220180179	56	237	242	237	237	953	79.4	불합격
BibT220180180	68	237	240	240	239	956	79.7	불합격
BibT220180181	56	238	240	243	237	958	79.8	불합격
BibT220180182	48	237	237	240	235	949	79.1	불합격
BibT220180183	88	240	240	240	240	960	80.0	합격
BibT220180184	88	237	237	240	237	951	79.3	불합격
BibT220180185	61	300	300	300	300	1200	100.0	합격
BibT220180186	61	240	240	240	238	958	79.8	불합격
BibT220180187	61	240	240	243	245	968	80.7	합격
BibT220180188	88	240	237	240	240	957	79.8	불합격
BibT220180189	61	238	237	237	237	949	79.1	불합격
BibT220180190	61	238	237	240	237	952	79.3	불합격
BibT220180191	76	237	240	238	240	955	79.6	불합격
BibT220180192	61	0	0	0	0	0	0.0	불합격
BibT220180193	88	239	240	243	239	961	80.1	합격
BibT220180194	61	237	240	243	238	958	79.8	불합격
BibT220180195	96	240	240	239	238	957	79.8	불합격
BibT220180196	96	237	240	243	239	959	79.9	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180197	88	239	240	241	241	961	80.1	합격
BibT220180198	64	237	239	242	237	955	79.6	불합격
BibT220180199	80	236	242	238	238	954	79.5	불합격
BibT220180200	84	237	243	243	239	962	80.2	합격
BibT220180201	84	237	242	243	246	968	80.7	합격
BibT220180202	72	234	240	243	241	958	79.8	불합격
BibT220180203	76	237	240	242	240	959	79.9	불합격
BibT220180204	76	237	234	241	239	951	79.3	불합격
BibT220180205	61	238	236	242	243	959	79.9	불합격
BibT220180206	80	236	235	239	235	945	78.8	불합격
BibT220180207	61	237	243	240	237	957	79.8	불합격
BibT220180208	61	239	242	243	241	965	80.4	합격
BibT220180209	88	237	240	243	237	957	79.8	불합격
BibT220180210	92	240	236	237	237	950	79.2	불합격
BibT220180211	84	237	240	241	240	958	79.8	불합격
BibT220180212	96	234	237	240	239	950	79.2	불합격
BibT220180213	80	237	240	243	246	966	80.5	합격
BibT220180214	61	234	237	241	234	946	78.8	불합격
BibT220180215	61	237	239	240	240	956	79.7	불합격
BibT220180216	61	234	239	240	237	950	79.2	불합격
BibT220180217	61	237	241	244	240	962	80.2	합격
BibT220180218	80	237	240	240	240	957	79.8	불합격
BibT220180219	61	239	245	237	239	960	80.0	합격
BibT220180220	80	237	239	238	238	952	79.3	불합격
BibT220180221	61	238	238	242	239	957	79.8	불합격
BibT220180222	64	235	240	241	241	957	79.8	불합격
BibT220180223	68	237	236	240	237	950	79.2	불합격
BibT220180224	61	236	237	237	234	944	78.7	불합격
BibT220180225	61	240	236	240	240	956	79.7	불합격
BibT220180226	61	238	241	243	243	965	80.4	합격
BibT220180227	61	236	237	237	241	951	79.3	불합격
BibT220180228	80	237	237	240	237	951	79.3	불합격
BibT220180229	76	233	237	240	234	944	78.7	불합격
BibT220180230	76	238	237	237	236	948	79.0	불합격
BibT220180231	72	240	238	242	240	960	80.0	합격
BibT220180232	61	300	300	300	300	1200	100.0	합격
BibT220180233	88	240	236	244	245	965	80.4	합격
BibT220180234	64	239	237	241	240	957	79.8	불합격
BibT220180235	76	239	238	243	243	963	80.3	합격
BibT220180236	72	240	239	237	240	956	79.7	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180237	61	240	240	243	243	966	80.5	합격
BibT220180238	61	237	237	243	242	959	79.9	불합격
BibT220180239	76	238	237	0	237	712	59.3	불합격
BibT220180240	64	239	242	243	245	969	80.8	합격
BibT220180241	92	236	235	239	240	950	79.2	불합격
BibT220180242	72	237	238	240	237	952	79.3	불합격
BibT220180243	88	238	240	237	237	952	79.3	불합격
BibT220180244	80	237	240	237	237	951	79.3	불합격
BibT220180245	61	236	239	239	234	948	79.0	불합격
BibT220180246	64	235	240	240	235	950	79.2	불합격
BibT220180247	76	236	235	237	234	942	78.5	불합격
BibT220180248	72	241	238	240	237	956	79.7	불합격
BibT220180249	72	237	238	237	237	949	79.1	불합격
BibT220180250	61	237	240	243	238	958	79.8	불합격
BibT220180251	61	240	239	238	234	951	79.3	불합격
BibT220180252	84	238	237	237	235	947	78.9	불합격
BibT220180253	84	237	240	239	237	953	79.4	불합격
BibT220180254	88	239	240	242	239	960	80.0	합격
BibT220180255	88	238	237	241	240	956	79.7	불합격
BibT220180256	61	240	240	240	244	964	80.3	합격
BibT220180257	76	0	237	237	238	712	59.3	불합격
BibT220180258	61	237	239	237	237	950	79.2	불합격
BibT220180259	72	240	238	241	241	960	80.0	합격
BibT220180260	72	237	232	234	234	937	78.1	불합격
BibT220180261	68	239	234	242	244	959	79.9	불합격
BibT220180262	61	242	236	240	241	959	79.9	불합격
BibT220180263	84	241	239	237	238	955	79.6	불합격
BibT220180264	61	240	237	241	240	958	79.8	불합격
BibT220180265	68	237	237	237	237	948	79.0	불합격
BibT220180266	72	239	237	238	234	948	79.0	불합격
BibT220180267	76	238	240	242	237	957	79.8	불합격
BibT220180268	61	240	237	241	233	951	79.3	불합격
BibT220180269	92	243	237	241	240	961	80.1	합격
BibT220180270	92	242	238	237	237	954	79.5	불합격
BibT220180271	52	239	240	240	238	957	79.8	불합격
BibT220180272	0	0	0	0	0	0	0.0	불합격
BibT220180273	88	300	300	300	300	1200	100.0	합격
BibT220180274	61	238	237	238	235	948	79.0	불합격
BibT220180275	88	242	240	242	241	965	80.4	합격
BibT220180276	76	243	240	243	239	965	80.4	합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180277	61	239	238	243	240	960	80.0	합격
BibT220180278	92	240	238	240	238	956	79.7	불합격
BibT220180279	48	237	237	239	237	950	79.2	불합격
BibT220180280	61	237	240	240	235	952	79.3	불합격
BibT220180281	84	241	240	241	247	969	80.8	합격
BibT220180282	88	240	237	240	239	956	79.7	불합격
BibT220180283	88	239	237	240	235	951	79.3	불합격
BibT220180284	56	0	237	240	234	711	59.3	불합격
BibT220180285	68	239	238	243	243	963	80.3	합격
BibT220180286	84	239	238	243	240	960	80.0	합격
BibT220180287	88	240	240	241	242	963	80.3	합격
BibT220180288	92	239	237	241	237	954	79.5	불합격
BibT220180289	100	242	239	242	237	960	80.0	합격
BibT220180290	61	242	238	237	241	958	79.8	불합격
BibT220180291	68	236	241	239	244	960	80.0	합격
BibT220180292	88	237	237	238	234	946	78.8	불합격
BibT220180293	76	238	238	240	240	956	79.7	불합격
BibT220180294	68	237	239	237	234	947	78.9	불합격
BibT220180295	64	235	237	236	235	943	78.6	불합격
BibT220180296	61	238	240	240	242	960	80.0	합격
BibT220180297	72	239	237	237	235	948	79.0	불합격
BibT220180298	72	234	234	238	238	944	78.7	불합격
BibT220180299	72	0	240	237	237	714	59.5	불합격
BibT220180300	84	240	237	241	240	958	79.8	불합격
BibT220180301	68	237	240	240	238	955	79.6	불합격
BibT220180302	92	238	237	237	237	949	79.1	불합격
BibT220180303	60	237	244	243	246	970	80.8	합격
BibT220180304	92	237	241	240	237	955	79.6	불합격
BibT220180305	100	237	238	241	239	955	79.6	불합격
BibT220180306	88	240	239	241	237	957	79.8	불합격
BibT220180307	80	236	238	241	240	955	79.6	불합격
BibT220180308	88	240	240	243	242	965	80.4	합격
BibT220180309	61	245	243	240	239	967	80.6	합격
BibT220180310	96	240	241	240	241	962	80.2	합격
BibT220180311	61	239	238	242	240	959	79.9	불합격
BibT220180312	96	240	237	244	237	958	79.8	불합격
BibT220180313	88	239	240	242	237	958	79.8	불합격
BibT220180314	61	240	240	240	235	955	79.6	불합격
BibT220180315	84	238	237	240	236	951	79.3	불합격
BibT220180316	80	237	237	238	234	946	78.8	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180317	84	237	240	239	235	951	79.3	불합격
BibT220180318	61	240	240	225	234	939	78.3	불합격
BibT220180319	61	238	238	240	237	953	79.4	불합격
BibT220180320	76	239	238	243	244	964	80.3	합격
BibT220180321	56	237	237	237	234	945	78.8	불합격
BibT220180322	68	239	240	244	241	964	80.3	합격
BibT220180323	61	237	237	237	235	946	78.8	불합격
BibT220180324	76	240	239	242	239	960	80.0	합격
BibT220180325	68	238	237	237	236	948	79.0	불합격
BibT220180326	61	238	240	243	244	965	80.4	합격
BibT220180327	64	239	240	244	245	968	80.7	합격
BibT220180328	61	239	240	244	240	963	80.3	합격
BibT220180329	84	237	237	240	237	951	79.3	불합격
BibT220180330	76	237	237	240	235	949	79.1	불합격
BibT220180331	72	239	239	239	239	956	79.7	불합격
BibT220180332	61	240	238	240	240	958	79.8	불합격
BibT220180333	64	238	237	240	234	949	79.1	불합격
BibT220180334	88	240	241	243	246	970	80.8	합격
BibT220180335	88	238	240	244	244	966	80.5	합격
BibT220180336	88	240	240	243	237	960	80.0	합격
BibT220180337	96	240	238	240	237	955	79.6	불합격
BibT220180338	84	300	300	300	300	1200	100.0	합격
BibT220180339	92	239	0	240	237	716	59.7	불합격
BibT220180340	61	236	240	243	242	961	80.1	합격
BibT220180341	80	240	240	240	237	957	79.8	불합격
BibT220180342	60	237	240	240	235	952	79.3	불합격
BibT220180343	72	240	240	242	242	964	80.3	합격
BibT220180344	88	0	0	0	238	238	19.8	불합격
BibT220180345	68	240	234	238	234	946	78.8	불합격
BibT220180346	96	239	238	238	236	951	79.3	불합격
BibT220180347	76	237	237	240	235	949	79.1	불합격
BibT220180348	88	237	236	242	238	953	79.4	불합격
BibT220180349	88	237	239	237	232	945	78.8	불합격
BibT220180350	80	237	238	237	232	944	78.7	불합격
BibT220180351	80	237	237	237	236	947	78.9	불합격
BibT220180352	80	300	300	300	300	1200	100.0	합격
BibT220180353	72	234	233	234	231	932	77.7	불합격
BibT220180354	80	237	237	237	237	948	79.0	불합격
BibT220180355	61	237	240	240	238	955	79.6	불합격
BibT220180356	80	238	240	241	240	959	79.9	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180357	88	237	237	234	234	942	78.5	불합격
BibT220180358	61	234	237	236	237	944	78.7	불합격
BibT220180359	80	237	240	237	235	949	79.1	불합격
BibT220180360	84	238	238	240	235	951	79.3	불합격
BibT220180361	88	237	237	225	237	936	78.0	불합격
BibT220180362	61	239	237	239	237	952	79.3	불합격
BibT220180363	88	237	235	235	232	939	78.3	불합격
BibT220180364	61	237	240	240	239	956	79.7	불합격
BibT220180365	61	237	240	240	237	954	79.5	불합격
BibT220180366	61	240	240	240	240	960	80.0	합격
BibT220180367	92	240	241	239	238	958	79.8	불합격
BibT220180368	72	239	237	240	243	959	79.9	불합격
BibT220180369	88	238	240	242	240	960	80.0	합격
BibT220180370	72	238	241	240	238	957	79.8	불합격
BibT220180371	61	237	234	232	234	937	78.1	불합격
BibT220180372	72	238	237	237	239	951	79.3	불합격
BibT220180373	61	239	237	243	243	962	80.2	합격
BibT220180374	76	237	237	241	240	955	79.6	불합격
BibT220180375	88	237	235	240	238	950	79.2	불합격
BibT220180376	61	239	240	240	238	957	79.8	불합격
BibT220180377	60	236	236	236	236	944	78.7	불합격
BibT220180378	64	239	242	242	240	963	80.3	합격
BibT220180379	60	239	238	242	238	957	79.8	불합격
BibT220180380	76	238	240	243	238	959	79.9	불합격
BibT220180381	61	238	238	241	237	954	79.5	불합격
BibT220180382	76	237	237	240	237	951	79.3	불합격
BibT220180383	72	238	237	239	236	950	79.2	불합격
BibT220180384	84	239	239	242	240	960	80.0	합격
BibT220180385	80	238	237	241	236	952	79.3	불합격
BibT220180386	72	238	236	243	234	951	79.3	불합격
BibT220180387	68	239	239	237	237	952	79.3	불합격
BibT220180388	92	239	241	240	238	958	79.8	불합격
BibT220180389	61	238	237	240	238	953	79.4	불합격
BibT220180390	61	239	237	240	243	959	79.9	불합격
BibT220180391	96	237	237	240	234	948	79.0	불합격
BibT220180392	44	237	240	243	240	960	80.0	불합격
BibT220180393	80	236	237	237	237	947	78.9	불합격
BibT220180394	61	240	240	245	244	969	80.8	합격
BibT220180395	68	237	238	237	235	947	78.9	불합격
BibT220180396	88	237	240	237	234	948	79.0	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180397	84	240	238	243	237	958	79.8	불합격
BibT220180398	64	237	237	240	237	951	79.3	불합격
BibT220180399	64	238	240	240	237	955	79.6	불합격
BibT220180400	84	238	238	243	239	958	79.8	불합격
BibT220180401	76	237	238	237	237	949	79.1	불합격
BibT220180402	61	239	239	240	241	959	79.9	불합격
BibT220180403	84	234	240	237	236	947	78.9	불합격
BibT220180404	61	235	237	240	238	950	79.2	불합격
BibT220180405	84	237	237	237	235	946	78.8	불합격
BibT220180406	61	238	237	238	240	953	79.4	불합격
BibT220180407	61	237	237	241	237	952	79.3	불합격
BibT220180408	68	237	240	240	242	959	79.9	불합격
BibT220180409	61	238	240	242	240	960	80.0	합격
BibT220180410	96	237	238	240	238	953	79.4	불합격
BibT220180411	88	239	240	240	242	961	80.1	합격
BibT220180412	61	240	241	241	245	967	80.6	합격
BibT220180413	76	239	237	238	237	951	79.3	불합격
BibT220180414	80	239	240	240	240	959	79.9	불합격
BibT220180415	72	238	240	240	238	956	79.7	불합격
BibT220180416	76	238	238	239	237	952	79.3	불합격
BibT220180417	68	239	240	240	240	959	79.9	불합격
BibT220180418	72	239	237	240	234	950	79.2	불합격
BibT220180419	61	234	239	239	240	952	79.3	불합격
BibT220180420	60	237	238	239	237	951	79.3	불합격
BibT220180421	36	237	237	236	236	946	78.8	불합격
BibT220180422	72	237	240	243	242	962	80.2	합격
BibT220180423	76	240	240	240	240	960	80.0	합격
BibT220180424	61	238	237	244	243	962	80.2	합격
BibT220180425	61	241	240	237	238	956	79.7	불합격
BibT220180426	61	237	236	240	234	947	78.9	불합격
BibT220180427	52	237	239	243	239	958	79.8	불합격
BibT220180428	68	238	237	238	238	951	79.3	불합격
BibT220180429	0	0	0	0	0	0	0.0	불합격
BibT220180430	88	238	238	240	237	953	79.4	불합격
BibT220180431	64	239	239	243	238	959	79.9	불합격
BibT220180432	76	239	241	240	237	957	79.8	불합격
BibT220180433	61	240	237	238	235	950	79.2	불합격
BibT220180434	72	239	234	237	235	945	78.8	불합격
BibT220180435	52	237	237	243	240	957	79.8	불합격
BibT220180436	68	242	237	241	242	962	80.2	합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180437	64	238	240	240	240	958	79.8	불합격
BibT220180438	61	237	237	239	237	950	79.2	불합격
BibT220180439	72	0	0	235	237	472	39.3	불합격
BibT220180440	68	237	238	239	238	952	79.3	불합격
BibT220180441	88	240	237	236	238	951	79.3	불합격
BibT220180442	64	237	237	240	234	948	79.0	불합격
BibT220180443	64	237	237	237	235	946	78.8	불합격
BibT220180444	72	239	238	240	238	955	79.6	불합격
BibT220180445	61	237	239	239	237	952	79.3	불합격
BibT220180446	88	237	240	243	237	957	79.8	불합격
BibT220180447	88	237	240	237	236	950	79.2	불합격
BibT220180448	68	238	237	240	237	952	79.3	불합격
BibT220180449	76	237	237	237	236	947	78.9	불합격
BibT220180450	64	240	239	236	237	952	79.3	불합격
BibT220180451	64	237	237	240	235	949	79.1	불합격
BibT220180452	76	0	0	0	0	0	0.0	불합격
BibT220180453	76	240	241	240	238	959	79.9	불합격
BibT220180454	84	241	237	238	236	952	79.3	불합격
BibT220180455	68	240	238	237	233	948	79.0	불합격
BibT220180456	61	237	237	240	238	952	79.3	불합격
BibT220180457	61	238	237	240	230	945	78.8	불합격
BibT220180458	61	236	237	240	240	953	79.4	불합격
BibT220180459	60	239	237	240	237	953	79.4	불합격
BibT220180460	64	239	239	241	238	957	79.8	불합격
BibT220180461	72	240	240	240	240	960	80.0	합격
BibT220180462	84	240	237	242	241	960	80.0	합격
BibT220180463	61	238	237	244	239	958	79.8	불합격
BibT220180464	56	237	237	240	237	951	79.3	불합격
BibT220180465	61	236	240	242	241	959	79.9	불합격
BibT220180466	61	238	240	240	239	957	79.8	불합격
BibT220180467	80	238	237	237	235	947	78.9	불합격
BibT220180468	76	237	237	238	237	949	79.1	불합격
BibT220180469	88	239	237	240	236	952	79.3	불합격
BibT220180470	72	239	240	240	238	957	79.8	불합격
BibT220180471	80	237	240	240	237	954	79.5	불합격
BibT220180472	76	240	237	239	234	950	79.2	불합격
BibT220180473	44	238	237	237	237	949	79.1	불합격
BibT220180474	68	237	234	233	231	935	77.9	불합격
BibT220180475	72	239	237	238	237	951	79.3	불합격
BibT220180476	48	238	240	241	239	958	79.8	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180477	72	238	239	243	244	964	80.3	합격
BibT220180478	61	239	237	244	241	961	80.1	합격
BibT220180479	60	237	240	240	237	954	79.5	불합격
BibT220180480	80	240	240	242	240	962	80.2	합격
BibT220180481	61	238	239	243	241	961	80.1	합격
BibT220180482	80	237	237	0	232	706	58.8	불합격
BibT220180483	76	0	0	237	234	471	39.3	불합격
BibT220180484	52	237	239	238	233	947	78.9	불합격
BibT220180485	64	240	244	244	246	974	81.2	합격
BibT220180486	68	237	235	234	234	940	78.3	불합격
BibT220180487	60	238	237	240	237	952	79.3	불합격
BibT220180488	64	240	237	240	236	953	79.4	불합격
BibT220180489	68	237	237	240	240	954	79.5	불합격
BibT220180490	60	238	237	241	240	956	79.7	불합격
BibT220180491	76	300	300	300	300	1200	100.0	합격
BibT220180492	61	238	237	237	234	946	78.8	불합격
BibT220180493	80	238	239	243	237	957	79.8	불합격
BibT220180494	61	240	237	238	233	948	79.0	불합격
BibT220180495	64	237	237	236	235	945	78.8	불합격
BibT220180496	72	240	237	240	237	954	79.5	불합격
BibT220180497	64	237	240	240	237	954	79.5	불합격
BibT220180498	56	0	237	240	237	714	59.5	불합격
BibT220180499	61	240	240	243	238	961	80.1	합격
BibT220180500	64	237	239	241	242	959	79.9	불합격
BibT220180501	76	243	239	244	240	966	80.5	합격
BibT220180502	72	234	237	241	237	949	79.1	불합격
BibT220180503	61	237	236	242	241	956	79.7	불합격
BibT220180504	60	239	239	241	238	957	79.8	불합격
BibT220180505	61	240	238	240	240	958	79.8	불합격
BibT220180506	61	238	237	240	237	952	79.3	불합격
BibT220180507	60	240	235	239	239	953	79.4	불합격
BibT220180508	80	236	237	243	237	953	79.4	불합격
BibT220180509	92	235	237	237	237	946	78.8	불합격
BibT220180510	72	237	238	240	240	955	79.6	불합격
BibT220180511	68	237	236	243	242	958	79.8	불합격
BibT220180512	68	240	237	240	237	954	79.5	불합격
BibT220180513	64	239	237	240	237	953	79.4	불합격
BibT220180514	88	237	237	238	239	951	79.3	불합격
BibT220180515	68	237	240	240	240	957	79.8	불합격
BibT220180516	76	239	236	241	238	954	79.5	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180517	76	237	236	239	237	949	79.1	불합격
BibT220180518	61	238	238	240	237	953	79.4	불합격
BibT220180519	61	236	240	240	238	954	79.5	불합격
BibT220180520	61	238	240	241	240	959	79.9	불합격
BibT220180521	48	240	237	241	237	955	79.6	불합격
BibT220180522	72	237	240	243	240	960	80.0	합격
BibT220180523	40	238	240	243	240	961	80.1	불합격
BibT220180524	60	238	240	241	237	956	79.7	불합격
BibT220180525	61	235	237	243	240	955	79.6	불합격
BibT220180526	60	237	239	240	237	953	79.4	불합격
BibT220180527	80	237	240	237	236	950	79.2	불합격
BibT220180528	56	236	237	242	237	952	79.3	불합격
BibT220180529	60	237	240	239	237	953	79.4	불합격
BibT220180530	64	234	236	234	234	938	78.2	불합격
BibT220180531	56	234	238	243	241	956	79.7	불합격
BibT220180532	84	236	237	240	239	952	79.3	불합격
BibT220180533	72	238	237	237	237	949	79.1	불합격
BibT220180534	56	234	239	239	234	946	78.8	불합격
BibT220180535	76	300	300	300	300	1200	100.0	합격
BibT220180536	76	234	235	235	234	938	78.2	불합격
BibT220180537	60	234	238	237	237	946	78.8	불합격
BibT220180538	61	235	236	238	234	943	78.6	불합격
BibT220180539	76	238	235	239	236	948	79.0	불합격
BibT220180540	72	234	240	240	243	957	79.8	불합격
BibT220180541	61	234	240	234	0	708	59.0	불합격
BibT220180542	68	232	237	234	237	940	78.3	불합격
BibT220180543	84	237	237	237	238	949	79.1	불합격
BibT220180544	68	238	238	238	238	952	79.3	불합격
BibT220180545	80	240	240	238	237	955	79.6	불합격
BibT220180546	52	236	237	240	235	948	79.0	불합격
BibT220180547	84	237	240	242	235	954	79.5	불합격
BibT220180548	92	241	238	241	240	960	80.0	합격
BibT220180549	92	238	236	237	235	946	78.8	불합격
BibT220180550	88	237	240	240	238	955	79.6	불합격
BibT220180551	52	235	236	237	237	945	78.8	불합격
BibT220180552	52	237	239	238	237	951	79.3	불합격
BibT220180553	0	237	239	238	240	954	79.5	불합격
BibT220180554	80	237	238	238	237	950	79.2	불합격
BibT220180555	76	237	237	237	239	950	79.2	불합격
BibT220180556	68	234	242	240	239	955	79.6	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180557	40	234	241	242	247	964	80.3	불합격
BibT220180558	61	237	240	243	245	965	80.4	합격
BibT220180559	72	237	237	239	238	951	79.3	불합격
BibT220180560	72	235	241	240	243	959	79.9	불합격
BibT220180561	64	238	238	240	240	956	79.7	불합격
BibT220180562	64	240	242	245	240	967	80.6	합격
BibT220180563	80	237	239	0	0	476	39.7	불합격
BibT220180564	88	236	237	236	235	944	78.7	불합격
BibT220180565	64	237	239	241	240	957	79.8	불합격
BibT220180566	72	240	242	243	240	965	80.4	합격
BibT220180567	56	235	238	240	240	953	79.4	불합격
BibT220180568	61	237	237	240	238	952	79.3	불합격
BibT220180569	92	237	237	246	240	960	80.0	합격
BibT220180570	92	237	237	239	236	949	79.1	불합격
BibT220180571	72	236	238	238	235	947	78.9	불합격
BibT220180572	72	235	237	240	237	949	79.1	불합격
BibT220180573	64	237	237	240	237	951	79.3	불합격
BibT220180574	64	237	237	240	237	951	79.3	불합격
BibT220180575	64	241	238	239	238	956	79.7	불합격
BibT220180576	84	237	237	238	237	949	79.1	불합격
BibT220180577	68	237	236	235	237	945	78.8	불합격
BibT220180578	61	234	237	237	235	943	78.6	불합격
BibT220180579	61	240	239	240	238	957	79.8	불합격
BibT220180580	88	234	240	240	237	951	79.3	불합격
BibT220180581	60	236	237	243	240	956	79.7	불합격
BibT220180582	64	237	239	239	237	952	79.3	불합격
BibT220180583	61	239	241	240	243	963	80.3	합격
BibT220180584	60	237	243	243	243	966	80.5	합격
BibT220180585	60	237	235	236	234	942	78.5	불합격
BibT220180586	84	240	238	237	238	953	79.4	불합격
BibT220180587	88	237	240	238	239	954	79.5	불합격
BibT220180588	80	234	225	0	0	459	38.3	불합격
BibT220180589	76	234	237	242	240	953	79.4	불합격
BibT220180590	64	235	239	242	237	953	79.4	불합격
BibT220180591	61	237	238	237	237	949	79.1	불합격
BibT220180592	56	234	240	241	244	959	79.9	불합격
BibT220180593	61	240	236	239	240	955	79.6	불합격
BibT220180594	61	240	237	240	238	955	79.6	불합격
BibT220180595	72	235	240	243	244	962	80.2	합격
BibT220180596	76	234	244	241	246	965	80.4	합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180597	64	234	241	237	240	952	79.3	불합격
BibT220180598	64	237	237	235	234	943	78.6	불합격
BibT220180599	64	237	237	237	238	949	79.1	불합격
BibT220180600	64	238	238	0	0	476	39.7	불합격
BibT220180601	80	235	239	234	237	945	78.8	불합격
BibT220180602	61	235	237	237	234	943	78.6	불합격
BibT220180603	76	240	243	241	240	964	80.3	합격
BibT220180604	61	234	238	237	237	946	78.8	불합격
BibT220180605	72	236	238	240	237	951	79.3	불합격
BibT220180606	88	237	240	240	240	957	79.8	불합격
BibT220180607	96	238	242	241	239	960	80.0	합격
BibT220180608	61	236	239	237	237	949	79.1	불합격
BibT220180609	100	236	237	238	236	947	78.9	불합격
BibT220180610	61	234	240	240	237	951	79.3	불합격
BibT220180611	80	237	240	243	240	960	80.0	합격
BibT220180612	72	238	243	243	238	962	80.2	합격
BibT220180613	80	237	241	237	240	955	79.6	불합격
BibT220180614	72	237	238	243	237	955	79.6	불합격
BibT220180615	96	234	237	238	237	946	78.8	불합격
BibT220180616	61	238	240	237	240	955	79.6	불합격
BibT220180617	61	240	239	240	239	958	79.8	불합격
BibT220180618	48	240	240	242	240	962	80.2	불합격
BibT220180619	52	237	237	240	237	951	79.3	불합격
BibT220180620	64	237	240	237	238	952	79.3	불합격
BibT220180621	52	237	239	235	237	948	79.0	불합격
BibT220180622	61	236	237	237	237	947	78.9	불합격
BibT220180623	61	236	237	237	236	946	78.8	불합격
BibT220180624	61	236	240	240	241	957	79.8	불합격
BibT220180625	76	238	237	240	234	949	79.1	불합격
BibT220180626	80	240	242	236	237	955	79.6	불합격
BibT220180627	100	235	237	240	238	950	79.2	불합격
BibT220180628	100	232	240	240	237	949	79.1	불합격
BibT220180629	100	237	240	243	240	960	80.0	합격
BibT220180630	61	237	238	240	236	951	79.3	불합격
BibT220180631	61	238	240	240	240	958	79.8	불합격
BibT220180632	61	237	236	237	237	947	78.9	불합격
BibT220180633	80	237	237	241	235	950	79.2	불합격
BibT220180634	76	236	237	240	237	950	79.2	불합격
BibT220180635	88	237	237	237	0	711	59.3	불합격
BibT220180636	61	238	234	236	235	943	78.6	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180637	61	237	239	242	240	958	79.8	불합격
BibT220180638	52	236	237	240	238	951	79.3	불합격
BibT220180639	80	237	239	242	240	958	79.8	불합격
BibT220180640	68	236	237	237	235	945	78.8	불합격
BibT220180641	60	237	237	240	237	951	79.3	불합격
BibT220180642	76	236	237	237	234	944	78.7	불합격
BibT220180643	76	235	240	243	238	956	79.7	불합격
BibT220180644	80	234	239	243	239	955	79.6	불합격
BibT220180645	61	233	244	239	240	956	79.7	불합격
BibT220180646	76	237	242	241	240	960	80.0	합격
BibT220180647	96	239	241	240	240	960	80.0	합격
BibT220180648	68	237	240	237	237	951	79.3	불합격
BibT220180649	61	238	242	244	237	961	80.1	합격
BibT220180650	61	238	240	240	240	958	79.8	불합격
BibT220180651	68	237	240	240	237	954	79.5	불합격
BibT220180652	60	238	238	240	237	953	79.4	불합격
BibT220180653	61	237	237	240	237	951	79.3	불합격
BibT220180654	72	237	238	240	243	958	79.8	불합격
BibT220180655	72	236	240	239	237	952	79.3	불합격
BibT220180656	64	237	239	237	235	948	79.0	불합격
BibT220180657	92	234	244	240	239	957	79.8	불합격
BibT220180658	61	237	243	240	242	962	80.2	합격
BibT220180659	88	239	241	240	240	960	80.0	합격
BibT220180660	32	237	237	237	238	949	79.1	불합격
BibT220180661	72	237	237	240	239	953	79.4	불합격
BibT220180662	68	238	239	240	237	954	79.5	불합격
BibT220180663	76	236	239	239	237	951	79.3	불합격
BibT220180664	61	238	242	240	240	960	80.0	합격
BibT220180665	56	237	239	239	237	952	79.3	불합격
BibT220180666	61	237	240	240	240	957	79.8	불합격
BibT220180667	0	0	0	0	0	0	0.0	불합격
BibT220180668	61	225	243	243	240	951	79.3	불합격
BibT220180669	61	235	239	236	237	947	78.9	불합격
BibT220180670	61	236	237	238	237	948	79.0	불합격
BibT220180671	68	237	238	242	237	954	79.5	불합격
BibT220180672	68	235	239	239	239	952	79.3	불합격
BibT220180673	80	237	242	240	238	957	79.8	불합격
BibT220180674	84	236	240	238	241	955	79.6	불합격
BibT220180675	64	236	237	239	237	949	79.1	불합격
BibT220180676	68	237	242	240	237	956	79.7	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180677	80	235	240	238	234	947	78.9	불합격
BibT220180678	84	235	241	237	0	713	59.4	불합격
BibT220180679	84	300	300	300	300	1200	100.0	합격
BibT220180680	88	237	239	237	236	949	79.1	불합격
BibT220180681	61	237	237	240	0	714	59.5	불합격
BibT220180682	76	235	236	237	237	945	78.8	불합격
BibT220180683	76	234	236	243	243	956	79.7	불합격
BibT220180684	28	234	243	240	240	957	79.8	불합격
BibT220180685	61	240	242	244	241	967	80.6	합격
BibT220180686	68	239	239	237	225	940	78.3	불합격
BibT220180687	44	235	242	243	246	966	80.5	불합격
BibT220180688	88	237	239	240	240	956	79.7	불합격
BibT220180689	80	238	240	237	240	955	79.6	불합격
BibT220180690	88	234	240	237	238	949	79.1	불합격
BibT220180691	64	237	233	235	240	945	78.8	불합격
BibT220180692	80	239	237	240	238	954	79.5	불합격
BibT220180693	61	234	241	243	239	957	79.8	불합격
BibT220180694	61	237	240	243	240	960	80.0	합격
BibT220180695	68	237	237	243	238	955	79.6	불합격
BibT220180696	80	300	300	300	300	1200	100.0	합격
BibT220180697	76	300	300	300	300	1200	100.0	합격
BibT220180698	80	241	240	237	236	954	79.5	불합격
BibT220180699	68	243	239	237	234	953	79.4	불합격
BibT220180700	76	239	237	240	240	956	79.7	불합격
BibT220180701	61	237	240	237	239	953	79.4	불합격
BibT220180702	64	237	237	238	237	949	79.1	불합격
BibT220180703	72	233	240	241	239	953	79.4	불합격
BibT220180704	92	240	237	240	235	952	79.3	불합격
BibT220180705	61	0	0	0	0	0	0.0	불합격
BibT220180706	61	240	239	241	239	959	79.9	불합격
BibT220180707	68	240	242	240	243	965	80.4	합격
BibT220180708	76	242	239	237	234	952	79.3	불합격
BibT220180709	84	300	300	300	300	1200	100.0	합격
BibT220180710	68	240	243	241	242	966	80.5	합격
BibT220180711	61	236	239	240	240	955	79.6	불합격
BibT220180712	76	238	237	237	237	949	79.1	불합격
BibT220180713	61	236	238	242	238	954	79.5	불합격
BibT220180714	84	237	237	237	237	948	79.0	불합격
BibT220180715	61	234	238	243	243	958	79.8	불합격
BibT220180716	72	235	237	237	237	946	78.8	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180717	92	235	243	243	240	961	80.1	합격
BibT220180718	76	237	240	242	240	959	79.9	불합격
BibT220180719	68	239	237	244	243	963	80.3	합격
BibT220180720	68	238	240	237	238	953	79.4	불합격
BibT220180721	64	234	240	237	237	948	79.0	불합격
BibT220180722	88	233	240	239	0	712	59.3	불합격
BibT220180723	88	236	237	0	0	473	39.4	불합격
BibT220180724	92	238	237	237	237	949	79.1	불합격
BibT220180725	96	236	240	240	237	953	79.4	불합격
BibT220180726	88	237	237	240	240	954	79.5	불합격
BibT220180727	0	235	241	240	240	956	79.7	불합격
BibT220180728	88	233	240	237	237	947	78.9	불합격
BibT220180729	44	240	240	239	239	958	79.8	불합격
BibT220180730	61	238	240	225	239	942	78.5	불합격
BibT220180731	0	0	0	0	0	0	0.0	불합격
BibT220180732	80	237	238	242	240	957	79.8	불합격
BibT220180733	80	237	234	0	0	471	39.3	불합격
BibT220180734	84	235	234	234	0	703	58.6	불합격
BibT220180735	68	235	238	239	239	951	79.3	불합격
BibT220180736	72	237	234	0	0	471	39.3	불합격
BibT220180737	68	236	234	237	234	941	78.4	불합격
BibT220180738	68	240	239	242	240	961	80.1	합격
BibT220180739	68	234	241	242	240	957	79.8	불합격
BibT220180740	61	236	243	240	241	960	80.0	합격
BibT220180741	84	236	240	225	240	941	78.4	불합격
BibT220180742	76	237	237	242	240	956	79.7	불합격
BibT220180743	92	235	240	239	239	953	79.4	불합격
BibT220180744	88	242	240	240	238	960	80.0	합격
BibT220180745	61	238	237	237	237	949	79.1	불합격
BibT220180746	56	238	240	243	245	966	80.5	불합격
BibT220180747	76	238	237	0	0	475	39.6	불합격
BibT220180748	92	236	240	244	240	960	80.0	합격
BibT220180749	80	238	241	241	240	960	80.0	합격
BibT220180750	88	237	238	235	239	949	79.1	불합격
BibT220180751	60	237	237	235	235	944	78.7	불합격
BibT220180752	56	238	239	241	239	957	79.8	불합격
BibT220180753	28	234	0	240	238	712	59.3	불합격
BibT220180754	60	237	237	240	237	951	79.3	불합격
BibT220180755	56	237	237	237	239	950	79.2	불합격
BibT220180756	64	237	237	238	240	952	79.3	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180757	61	234	240	240	243	957	79.8	불합격
BibT220180758	52	300	300	300	300	1200	100.0	불합격
BibT220180759	60	237	240	239	240	956	79.7	불합격
BibT220180760	61	237	237	239	237	950	79.2	불합격
BibT220180761	64	300	300	300	300	1200	100.0	합격
BibT220180762	84	237	239	240	240	956	79.7	불합격
BibT220180763	64	234	237	240	237	948	79.0	불합격
BibT220180764	44	234	238	235	237	944	78.7	불합격
BibT220180765	40	237	238	234	234	943	78.6	불합격
BibT220180766	0	234	237	233	238	942	78.5	불합격
BibT220180767	68	239	239	244	240	962	80.2	합격
BibT220180768	64	234	240	242	243	959	79.9	불합격
BibT220180769	80	234	239	234	236	943	78.6	불합격
BibT220180770	88	234	233	240	237	944	78.7	불합격
BibT220180771	84	234	237	237	237	945	78.8	불합격
BibT220180772	76	237	236	235	234	942	78.5	불합격
BibT220180773	0	0	0	0	0	0	0.0	불합격
BibT220180774	64	237	238	237	238	950	79.2	불합격
BibT220180775	76	237	237	240	240	954	79.5	불합격
BibT220180776	52	237	237	237	238	949	79.1	불합격
BibT220180777	76	237	237	240	236	950	79.2	불합격
BibT220180778	56	237	237	233	234	941	78.4	불합격
BibT220180779	92	235	237	235	237	944	78.7	불합격
BibT220180780	80	236	237	234	236	943	78.6	불합격
BibT220180781	52	0	0	0	0	0	0.0	불합격
BibT220180782	64	238	240	243	240	961	80.1	합격
BibT220180783	72	0	0	236	0	236	19.7	불합격
BibT220180784	64	237	240	242	240	959	79.9	불합격
BibT220180785	60	237	242	238	238	955	79.6	불합격
BibT220180786	84	237	240	234	237	948	79.0	불합격
BibT220180787	80	237	237	241	237	952	79.3	불합격
BibT220180788	80	235	240	238	240	953	79.4	불합격
BibT220180789	61	232	239	236	234	941	78.4	불합격
BibT220180790	72	237	240	239	237	953	79.4	불합격
BibT220180791	88	239	240	237	239	955	79.6	불합격
BibT220180792	76	237	240	240	237	954	79.5	불합격
BibT220180793	76	239	240	241	236	956	79.7	불합격
BibT220180794	61	237	236	239	234	946	78.8	불합격
BibT220180795	64	239	239	241	236	955	79.6	불합격
BibT220180796	48	236	236	240	237	949	79.1	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180797	76	237	237	237	236	947	78.9	불합격
BibT220180798	88	239	239	243	239	960	80.0	합격
BibT220180799	61	237	237	240	240	954	79.5	불합격
BibT220180800	72	240	243	242	238	963	80.3	합격
BibT220180801	48	238	237	234	235	944	78.7	불합격
BibT220180802	60	238	237	236	234	945	78.8	불합격
BibT220180803	0	0	0	0	0	0	0.0	불합격
BibT220180804	84	238	242	238	240	958	79.8	불합격
BibT220180805	68	239	240	243	243	965	80.4	합격
BibT220180806	80	237	238	239	236	950	79.2	불합격
BibT220180807	72	237	239	239	237	952	79.3	불합격
BibT220180808	60	237	240	242	240	959	79.9	불합격
BibT220180809	76	237	237	237	234	945	78.8	불합격
BibT220180810	88	237	240	235	237	949	79.1	불합격
BibT220180811	88	237	240	240	237	954	79.5	불합격
BibT220180812	88	240	238	243	240	961	80.1	합격
BibT220180813	80	238	237	237	236	948	79.0	불합격
BibT220180814	76	238	237	238	236	949	79.1	불합격
BibT220180815	84	235	238	241	237	951	79.3	불합격
BibT220180816	92	237	240	240	239	956	79.7	불합격
BibT220180817	0	237	237	234	233	941	78.4	불합격
BibT220180818	61	237	240	243	239	959	79.9	불합격
BibT220180819	64	236	240	237	239	952	79.3	불합격
BibT220180820	56	237	237	236	237	947	78.9	불합격
BibT220180821	61	237	238	240	235	950	79.2	불합격
BibT220180822	76	237	240	241	237	955	79.6	불합격
BibT220180823	60	232	237	236	234	939	78.3	불합격
BibT220180824	61	239	237	243	241	960	80.0	합격
BibT220180825	84	237	241	237	237	952	79.3	불합격
BibT220180826	61	237	237	240	233	947	78.9	불합격
BibT220180827	64	237	238	239	237	951	79.3	불합격
BibT220180828	80	237	237	240	236	950	79.2	불합격
BibT220180829	72	237	240	243	240	960	80.0	합격
BibT220180830	61	237	240	240	239	956	79.7	불합격
BibT220180831	80	238	242	246	243	969	80.8	합격
BibT220180832	84	237	240	240	240	957	79.8	불합격
BibT220180833	88	238	238	244	240	960	80.0	합격
BibT220180834	72	236	239	242	238	955	79.6	불합격
BibT220180835	61	237	240	243	240	960	80.0	합격
BibT220180836	72	238	235	240	237	950	79.2	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180837	68	237	242	244	241	964	80.3	합격
BibT220180838	80	235	240	240	240	955	79.6	불합격
BibT220180839	88	237	237	239	239	952	79.3	불합격
BibT220180840	92	237	240	240	237	954	79.5	불합격
BibT220180841	60	234	237	240	238	949	79.1	불합격
BibT220180842	72	0	0	0	0	0	0.0	불합격
BibT220180843	84	237	240	240	239	956	79.7	불합격
BibT220180844	76	237	237	238	237	949	79.1	불합격
BibT220180845	61	236	0	240	236	712	59.3	불합격
BibT220180846	61	237	234	239	234	944	78.7	불합격
BibT220180847	52	237	0	234	233	704	58.7	불합격
BibT220180848	60	237	237	237	236	947	78.9	불합격
BibT220180849	68	237	0	237	239	713	59.4	불합격
BibT220180850	52	235	236	240	241	952	79.3	불합격
BibT220180851	44	236	239	240	236	951	79.3	불합격
BibT220180852	61	237	240	243	238	958	79.8	불합격
BibT220180853	80	237	237	240	236	950	79.2	불합격
BibT220180854	61	237	237	240	234	948	79.0	불합격
BibT220180855	76	237	242	243	242	964	80.3	합격
BibT220180856	64	236	237	236	235	944	78.7	불합격
BibT220180857	61	238	243	240	239	960	80.0	합격
BibT220180858	0	237	240	236	234	947	78.9	불합격
BibT220180859	61	238	239	237	234	948	79.0	불합격
BibT220180860	61	238	240	241	240	959	79.9	불합격
BibT220180861	88	235	237	240	235	947	78.9	불합격
BibT220180862	20	238	237	243	240	958	79.8	불합격
BibT220180863	72	237	237	240	237	951	79.3	불합격
BibT220180864	61	240	240	243	243	966	80.5	합격
BibT220180865	72	237	239	240	244	960	80.0	합격
BibT220180866	61	300	300	300	300	1200	100.0	합격
BibT220180867	76	0	0	225	0	225	18.8	불합격
BibT220180868	84	237	237	239	240	953	79.4	불합격
BibT220180869	92	239	243	240	239	961	80.1	합격
BibT220180870	68	237	239	237	236	949	79.1	불합격
BibT220180871	64	237	240	240	237	954	79.5	불합격
BibT220180872	64	241	237	239	237	954	79.5	불합격
BibT220180873	40	235	237	238	234	944	78.7	불합격
BibT220180874	76	234	240	239	239	952	79.3	불합격
BibT220180875	61	236	237	240	237	950	79.2	불합격
BibT220180876	64	236	239	235	238	948	79.0	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180877	60	236	237	240	235	948	79.0	불합격
BibT220180878	61	237	237	239	240	953	79.4	불합격
BibT220180879	61	238	237	238	238	951	79.3	불합격
BibT220180880	80	239	240	238	237	954	79.5	불합격
BibT220180881	61	237	240	240	234	951	79.3	불합격
BibT220180882	80	240	241	240	240	961	80.1	합격
BibT220180883	80	237	239	240	239	955	79.6	불합격
BibT220180884	72	242	237	237	236	952	79.3	불합격
BibT220180885	76	0	0	239	0	239	19.9	불합격
BibT220180886	61	243	244	240	244	971	80.9	합격
BibT220180887	68	237	239	237	237	950	79.2	불합격
BibT220180888	48	238	235	235	234	942	78.5	불합격
BibT220180889	88	237	240	237	239	953	79.4	불합격
BibT220180890	68	237	237	237	240	951	79.3	불합격
BibT220180891	61	238	237	240	237	952	79.3	불합격
BibT220180892	64	237	239	238	234	948	79.0	불합격
BibT220180893	61	237	237	237	237	948	79.0	불합격
BibT220180894	84	240	237	240	237	954	79.5	불합격
BibT220180895	88	239	240	240	240	959	79.9	불합격
BibT220180896	84	239	239	240	240	958	79.8	불합격
BibT220180897	92	237	237	239	240	953	79.4	불합격
BibT220180898	84	237	240	240	241	958	79.8	불합격
BibT220180899	72	235	234	236	234	939	78.3	불합격
BibT220180900	68	237	237	240	239	953	79.4	불합격
BibT220180901	61	238	237	239	238	952	79.3	불합격
BibT220180902	61	237	237	237	237	948	79.0	불합격
BibT220180903	68	237	237	240	236	950	79.2	불합격
BibT220180904	68	234	237	234	234	939	78.3	불합격
BibT220180905	61	237	237	240	237	951	79.3	불합격
BibT220180906	76	240	239	246	241	966	80.5	합격
BibT220180907	80	238	237	240	237	952	79.3	불합격
BibT220180908	84	240	240	242	240	962	80.2	합격
BibT220180909	76	237	238	237	237	949	79.1	불합격
BibT220180910	76	235	238	237	237	947	78.9	불합격
BibT220180911	76	235	237	234	235	941	78.4	불합격
BibT220180912	68	237	236	234	234	941	78.4	불합격
BibT220180913	68	232	238	240	239	949	79.1	불합격
BibT220180914	92	0	0	0	0	0	0.0	불합격
BibT220180915	72	237	237	237	234	945	78.8	불합격
BibT220180916	68	236	237	240	225	938	78.2	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180917	76	237	238	239	242	956	79.7	불합격
BibT220180918	60	238	237	238	235	948	79.0	불합격
BibT220180919	52	234	237	237	234	942	78.5	불합격
BibT220180920	84	235	235	240	234	944	78.7	불합격
BibT220180921	72	237	240	243	242	962	80.2	합격
BibT220180922	68	237	241	245	241	964	80.3	합격
BibT220180923	72	237	237	240	237	951	79.3	불합격
BibT220180924	61	238	240	240	237	955	79.6	불합격
BibT220180925	68	237	242	241	242	962	80.2	합격
BibT220180926	76	237	234	237	234	942	78.5	불합격
BibT220180927	61	237	239	237	237	950	79.2	불합격
BibT220180928	56	237	237	239	235	948	79.0	불합격
BibT220180929	48	238	238	234	235	945	78.8	불합격
BibT220180930	76	238	236	243	240	957	79.8	불합격
BibT220180931	80	238	245	242	242	967	80.6	합격
BibT220180932	61	235	240	241	242	958	79.8	불합격
BibT220180933	72	236	235	237	234	942	78.5	불합격
BibT220180934	80	240	240	243	238	961	80.1	합격
BibT220180935	76	240	237	242	244	963	80.3	합격
BibT220180936	76	237	234	237	234	942	78.5	불합격
BibT220180937	76	236	233	238	240	947	78.9	불합격
BibT220180938	96	234	237	240	234	945	78.8	불합격
BibT220180939	88	238	240	240	241	959	79.9	불합격
BibT220180940	61	236	0	240	236	712	59.3	불합격
BibT220180941	72	237	237	240	235	949	79.1	불합격
BibT220180942	88	237	246	243	242	968	80.7	합격
BibT220180943	92	237	240	240	234	951	79.3	불합격
BibT220180944	88	237	242	234	235	948	79.0	불합격
BibT220180945	88	237	237	238	237	949	79.1	불합격
BibT220180946	88	237	237	243	234	951	79.3	불합격
BibT220180947	68	235	245	241	250	971	80.9	합격
BibT220180948	68	237	237	240	238	952	79.3	불합격
BibT220180949	68	237	240	240	240	957	79.8	불합격
BibT220180950	84	238	243	241	246	968	80.7	합격
BibT220180951	61	233	238	242	239	952	79.3	불합격
BibT220180952	80	238	238	245	225	946	78.8	불합격
BibT220180953	72	239	238	242	243	962	80.2	합격
BibT220180954	72	236	237	237	234	944	78.7	불합격
BibT220180955	0	0	0	0	0	0	0.0	불합격
BibT220180956	76	239	239	238	234	950	79.2	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180957	61	238	240	240	237	955	79.6	불합격
BibT220180958	56	236	239	243	236	954	79.5	불합격
BibT220180959	61	237	237	240	235	949	79.1	불합격
BibT220180960	64	236	237	237	235	945	78.8	불합격
BibT220180961	48	238	237	238	234	947	78.9	불합격
BibT220180962	88	236	239	235	238	948	79.0	불합격
BibT220180963	92	238	240	240	240	958	79.8	불합격
BibT220180964	80	237	237	236	235	945	78.8	불합격
BibT220180965	52	237	237	238	237	949	79.1	불합격
BibT220180966	80	235	0	237	234	706	58.8	불합격
BibT220180967	68	235	238	245	240	958	79.8	불합격
BibT220180968	80	237	235	240	234	946	78.8	불합격
BibT220180969	72	237	240	240	241	958	79.8	불합격
BibT220180970	76	236	237	242	237	952	79.3	불합격
BibT220180971	72	237	237	237	235	946	78.8	불합격
BibT220180972	60	236	239	237	235	947	78.9	불합격
BibT220180973	61	239	236	243	241	959	79.9	불합격
BibT220180974	72	237	240	242	242	961	80.1	합격
BibT220180975	61	0	235	240	234	709	59.1	불합격
BibT220180976	60	240	237	240	236	953	79.4	불합격
BibT220180977	61	237	236	239	239	951	79.3	불합격
BibT220180978	61	237	240	240	238	955	79.6	불합격
BibT220180979	84	238	237	239	234	948	79.0	불합격
BibT220180980	64	237	240	240	242	959	79.9	불합격
BibT220180981	68	237	234	239	231	941	78.4	불합격
BibT220180982	60	238	240	240	237	955	79.6	불합격
BibT220180983	68	238	237	240	237	952	79.3	불합격
BibT220180984	68	240	240	240	237	957	79.8	불합격
BibT220180985	60	234	237	238	235	944	78.7	불합격
BibT220180986	60	237	237	240	238	952	79.3	불합격
BibT220180987	61	238	239	225	237	939	78.3	불합격
BibT220180988	76	237	240	243	243	963	80.3	합격
BibT220180989	61	239	240	241	237	957	79.8	불합격
BibT220180990	80	238	240	240	237	955	79.6	불합격
BibT220180991	61	0	0	239	237	476	39.7	불합격
BibT220180992	0	0	0	0	0	0	0.0	불합격
BibT220180993	92	236	237	235	236	944	78.7	불합격
BibT220180994	84	242	239	247	247	975	81.3	합격
BibT220180995	60	238	240	237	237	952	79.3	불합격
BibT220180996	84	239	241	240	238	958	79.8	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220180997	76	236	237	241	237	951	79.3	불합격
BibT220180998	68	236	237	237	235	945	78.8	불합격
BibT220180999	76	237	237	243	238	955	79.6	불합격
BibT220181000	72	238	237	237	237	949	79.1	불합격
BibT220181001	60	237	238	237	234	946	78.8	불합격
BibT220181002	52	237	240	240	237	954	79.5	불합격
BibT220181003	72	240	237	238	237	952	79.3	불합격
BibT220181004	61	237	237	243	237	954	79.5	불합격
BibT220181005	64	300	300	300	300	1200	100.0	합격
BibT220181006	76	237	238	238	237	950	79.2	불합격
BibT220181007	61	238	242	240	240	960	80.0	합격
BibT220181008	80	239	237	237	234	947	78.9	불합격
BibT220181009	80	238	236	246	241	961	80.1	합격
BibT220181010	56	237	237	237	237	948	79.0	불합격
BibT220181011	80	238	237	240	238	953	79.4	불합격
BibT220181012	88	240	240	239	237	956	79.7	불합격
BibT220181013	88	238	237	235	234	944	78.7	불합격
BibT220181014	61	240	237	238	235	950	79.2	불합격
BibT220181015	76	243	237	240	238	958	79.8	불합격
BibT220181016	76	240	237	239	237	953	79.4	불합격
BibT220181017	68	237	237	235	234	943	78.6	불합격
BibT220181018	80	234	234	233	235	936	78.0	불합격
BibT220181019	52	234	237	237	234	942	78.5	불합격
BibT220181020	64	237	236	238	237	948	79.0	불합격
BibT220181021	0	240	240	240	244	964	80.3	불합격
BibT220181022	48	240	237	237	234	948	79.0	불합격
BibT220181023	52	239	239	241	238	957	79.8	불합격
BibT220181024	80	237	237	240	239	953	79.4	불합격
BibT220181025	84	240	240	243	245	968	80.7	합격
BibT220181026	80	237	240	240	235	952	79.3	불합격
BibT220181027	61	234	0	234	231	699	58.3	불합격
BibT220181028	61	239	237	240	237	953	79.4	불합격
BibT220181029	68	0	0	241	225	466	38.8	불합격
BibT220181030	80	237	237	240	240	954	79.5	불합격
BibT220181031	76	234	233	234	231	932	77.7	불합격
BibT220181032	61	238	241	243	237	959	79.9	불합격
BibT220181033	72	240	238	240	237	955	79.6	불합격
BibT220181034	80	236	237	240	237	950	79.2	불합격
BibT220181035	68	237	241	243	241	962	80.2	합격
BibT220181036	60	237	242	240	238	957	79.8	불합격

BIB	필기	패러렐롱턴	롱턴	패러렐숏턴	종합활강	총점	평균	합격유무
BibT220181037	76	237	235	238	234	944	78.7	불합격
BibT220181038	68	238	239	238	237	952	79.3	불합격
BibT220181039	0	0	0	0	0	0	0.0	불합격
BibT220181040	56	300	300	300	300	1200	100.0	불합격
BibT220181041	76	240	239	243	237	959	79.9	불합격
BibT220181042	68	300	300	300	300	1200	100.0	합격
BibT220181043	68	236	237	235	234	942	78.5	불합격
BibT220181044	61	238	242	240	239	959	79.9	불합격
BibT220181045	72	238	240	240	238	956	79.7	불합격
BibT220181046	0	0	0	0	0	0	0.0	불합격
BibT220181047	61	300	300	300	300	1200	100.0	합격
BibT220181048	92	237	237	240	233	947	78.9	불합격